



BIOMIST® 3+15 ULV

For Use Outdoors as an Ultra-Low Volume (ULV) Application to Control Adult Mosquitoes in Residential and Recreational Areas. Also for use against Biting and Non-Biting Midges and Blackflies.

For use only by federal, state, tribal or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

ACTIVE INGREDIENTS

Permethrin (3-phenoxyphenyl) methyl (+/-) cis, trans-	
3-(2,2-dichloroethenyl)-2,2-dimethyl cyclopropanecarboxylate	3.0%
Piperonyl Butoxide*	15.0%
OTHER INGREDIENTS**	82.0%
	100.0%

Contains 0.222 pounds of Permethrin and 1.113 pounds of PBO per gallon

*PBO, (butyl carbityl) (6-propylpiperonyl) ether and related compounds

** Contains petroleum distillate

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

Have product container or label with you when calling a poison control center or doctor, or going for treatment. For Medical Emergencies, call the International Poison Control Center at 1-800-214-7753.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Product contains a petroleum distillate. Vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing.

Personal Protective Equipment (PPE): Some materials that are chemical-resistant to this product are: barrier laminate, nitrile rubber, neoprene rubber, or viton. Mixers, loaders, applicators, and other handlers must wear long-sleeve shirt and long pants, shoes plus socks. In addition, all handlers except for applicators using motorized ground equipment, pilots and flaggers, must wear chemical-resistant gloves. In addition, mixers/loaders, persons cleaning equipment, and other persons exposed to the concentrate must wear a chemical-resistant apron. See engineering controls for additional requirements.

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

Engineering Controls: Pilots must use an enclosed cockpit that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(6)]. Human flagging is prohibited. Flagging to support aerial application is limited to use of the Global Positioning System (GPS) or mechanical flaggers.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinseate or wash waters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes, or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use in metered release systems. Not for use in outdoor residential misting systems.

Do not contaminate crop land (other than crops listed) or potable water supplies with spray drift.

Do not make applications during rain.

USE INFORMATION

BIOMIST® 3+15 ULV is approved for applications as an ultra low volume (ULV) nonthermal aerosol (cold fog) to control adult mosquitoes in residential and recreational areas and other areas these insects occur, such as but not limited to parks, campsites, woodlands, athletic fields, golf courses, residential areas and municipalities, gardens, playgrounds, and overgrown waste areas.

BIOMIST® 3+15 ULV can be applied over specific growing crops and range grasses prior to harvest for the control of adult mosquitoes within or adjacent to these areas. Application can be made where the following crops are present:

Alfalfa	Corn, grain	Onion, bulb
Almond	Corn, stover	Peach
Apple	Corn, sweet, kernel + cob	Pepper, bell
Artichoke	with husks removed	Pistachio
Asparagus	Eggplant	Potato
Avocado	Fruit, pome, group 11	Soybean, seed
Broccoli	Garlic	Spinach
Brussels sprouts	Range grasses	Tomato
Cabbage	Horseradish	Vegetable, cucurbit, group 9*
Cauliflower	Leaf petioles subgroup 4B	Walnut
Celery	Leafy greens subgroup 4A	Watercress
Cherry	Lettuce, head	
Corn, forage	Mushroom	

* 40 CFR 180.41 Crop Group 9: Cucurbit Vegetables, includes Crop Subgroup 9A (melon) and Crop Subgroup 9B (squash/cucumber).

In the treatment of corrals, feedlots, swine lots, poultry ranges and zoos cover any exposed drinking water, drinking fountains and animal feed before application.

For best results treat when mosquitoes are most active and weather conditions are conducive to keeping the spray cloud close to the ground. An inversion of air temperatures and a light breeze is preferable. Application in calm air conditions is to be avoided. Apply only when wind speed is greater than 1 mph. Air temperature should be greater than 50°F when conducting all types of applications.

Do not treat a site with more than 0.007 lb. permethrin and 0.035 lb. PBO per acre in a 3-day period. Retreatments within a 3-day period shall not exceed 0.007 total lbs. permethrin or 0.035 total lbs. PBO in

any site. Do not exceed 25 applications at maximum labeled rate (0.005 lbs permethrin/0.025 lbs PBO per acre) at any site in one year. When targeting *Aedes taeniorhynchus* and other difficult species, applications may be made up to 0.007 lbs permethrin and 0.035 lbs PBO (4.0 fl. oz. BIOMIST 3+15 ULV) per acre. Do not exceed 0.18 lbs of permethrin or 0.90 lbs PBO per acre per site per year. When rotating this product with other insecticides containing PBO, do not exceed 2 lbs PBO per acre per site per year. More frequent applications may be made to prevent or control a threat to public and/or animal health determined by a state, tribal, or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or is specifically approved by the state or tribe during a natural disaster recovery effort.

SPRAY DROPLET SIZE DETERMINATION

Ground-based Application: Spray equipment must be adjusted so that the volume median diameter (VMD) is less than 30 microns (Dv 0.5 < 30 um) and that 90% of the spray is contained in droplets smaller than 50 microns (Dv 0.9 < 50 um). Directions from the equipment manufacturer or vendor, pesticide registrant, or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial Application made at or below 200 feet above ground elevation: Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns (Dv 0.5 < 60 um) and that 90% of the spray is contained in droplets smaller than 100 microns (Dv 0.9 < 100 um). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant, or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial Application made at greater than 200 feet above ground elevation: Spray equipment must be adjusted so that the volume median diameter produced is less than 70 microns (Dv 0.5 < 70 um) and that 90% of the spray is contained in droplets smaller than 145 microns (Dv 0.9 < 145 um). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant, or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

GROUND APPLICATION

Apply BIOMIST® 3+15 ULV through standard ULV cold aerosol or non-thermal aerosol (Cold Fog) generators undiluted at a flow rate of 3.1 to 17.4 fluid ounces per minute, and an average vehicle speed of 10 MPH. If a different vehicle speed is used, adjust rate accordingly. These rates are equivalent to 0.00088 to 0.005 pounds of Permethrin and 0.0044 to 0.0264 pounds of PBO per acre. An accurate flow meter must be used to ensure the proper flow rates. Vary flow rate according to vegetation density and mosquito population. Use higher flow rate in heavy vegetation or when populations are high.

Permethrin/ PBO Pounds per Acre	Application Rates Fl.oz./Minute				Fl.oz. BIOMIST 3+15 ULV per Acre
	5 MPH	10 MPH	15 MPH	20 MPH	
0.005/0.025	8.7	17.4	26.1	34.9	2.88
0.0025/0.0125	4.4	8.7	13.1	17.4	1.44
0.00088/0.0044	1.5	3.1	4.6	6.1	0.51

Failure to follow the above directions may result in reduced effectiveness..

AERIAL APPLICATION

BIOMIST® 3+15 ULV may be applied undiluted at rates of 0.0025 to 0.005 pounds Permethrin (1.44 to 2.88 fl.oz. BIOMIST® 3+15 ULV) per acre by fixed wing or rotary aircraft equipped with suitable ULV application equipment. Do not apply by fixed wing aircraft at a height less than 100 feet, or by helicopter at a height less than 75 feet unless specifically approved by the state or tribe based on public health needs. Aerial applications shall only be made when recommended by public health officials and trained personnel of mosquito abatement districts and other mosquito control programs.

IN FLORIDA: Aerial applications of this product require trained personnel to perform industry accepted assays to monitor resistance formation in targeted mosquitoes.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING:

For Nonrefillable Containers:

Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent), then offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

For Refillable Containers:

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NOTICE: To the extent provided by law, seller makes no warranty, expressed or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use/handling of this material when use and/or handling is contrary to label instructions.

BIOMIST® is a Registered Trademark of Clarke Mosquito Control Products, Inc.

IN CASE OF MEDICAL EMERGENCY, CALL THE INTERNATIONAL POISON CONTROL CENTER 1-800-214-7753

IN CASE OF TRANSPORTATION EMERGENCY, CALL INFO-TRAC 1-800-553-5053

FOR MORE INFORMATION CALL 1-800-323-5727

MANUFACTURED FOR:
CLARKE MOSQUITO CONTROL PRODUCTS, INC.
159 N. GARDEN AVENUE
ROSELLE, ILLINOIS 60172

EPA Reg. No.: 8329-33

EPA Est. No. _____

NET CONTENTS: Marked on Container

LOT NO. _____



SAFETY DATA SHEET

BIOMIST[®] 3 + 15 ULV

Effective Date: 15 July 2015

v.02

Page 1 of 8

SECTION 1. Identification of the Substance/Mixture and of the Company

1.1 Product Identifier

Formulation Identifier: BIOMIST[®] 3 + 15 ULV

EPA Registration Number: 8329-33

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant identified uses: Insecticide for control of adult mosquitoes, biting and non-biting midges, and blackflies

Uses advised against: See product label for use restrictions

1.3 Details of the Supplier of the Safety Data Sheet

Clarke Mosquito Control Products, Inc.
675 Sidwell Court
St. Charles, IL 60174 U.S.A.
+1 (630) 894-2000
Email: Clarke@clarke.com

1.4 Emergency Telephone Number

24-Hour Medical Emergency: POISON CONTROL Toll-free (800) 214 – 7753

24-Hour Transportation Emergency: INFOTRAC (800) 535-5053

SECTION 2. Hazards identification

United States (US)

According to OSHA 29 CFR 1910.1200 HCS (2012)

2.1 Classification of the Substance or Mixture

Aspiration Hazard: Category 1

Acute Toxicity (Inhalation): Category 4

Pictogram:



Signal Word:

Danger

Hazard Statements:

May be fatal if swallowed and enters airways.

Harmful if inhaled

Precautionary Statements:

PREVENTION: Avoid breathing mist/spray. Use only outdoors or in a well-ventilated area,

RESPONSE: If swallowed: Immediately call a poison control center or doctor. Do NOT induce vomiting.



SAFETY DATA SHEET

BIOMIST[®] 3 + 15 ULV

Effective Date: 15 July 2015

v.02

Page 2 of 8

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell.

STORAGE: Store locked up.

DISPOSAL: Dispose of contents and container in accordance with local/regional/national regulations.

2.2 Other Hazards Not Classifiable Under OSHA 2012 HCS

See product label for any additional hazards

SECTION 3. Composition/Information on Ingredients

3.1 Components

Substance Name	CAS No.	Concentration % w/w
Permethrin	52645-53-1	3.00
Piperonyl Butoxide	51-03-6	15.00
Petroleum Distillate Mixture:		< 82.00
White Mineral Oil	8042-47-5	
Hydrotreated Distillate, Heavy Paraffin	64742-54-7	
Hydrotreated Distillate, Light Paraffin	64742-55-8	
Hydrotreat Neutral Oil	72623-87-1	

Ingredients not identified are non-hazardous and/or are not required to be disclosed pursuant to 29 CFR 1910.1200 (2012), and are withheld as trade secret.

SECTION 4. First Aid Measures

4.1 Description of First Aid Measures

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed.

See section 2 and/or section 11.

4.3 Indication of Immediate Medical Attention and Special Treatment

Treatment: Contains petroleum distillate. Gastric lavage is indicated if material was taken internally. May pose an aspiration pneumonia hazard. Appropriate supportive and symptomatic treatment is indicated by the patient's condition is recommended. For medical treatment information, contact the poison control hotline at 1-800-214-7753. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5. Fire-Fighting Measures

5.1 Extinguishing Media

Suitable Extinguishing Media: Carbon Dioxide (CO₂), Dry Chemical, Foam

Unsuitable Extinguishing Media: Water jet

5.2 Special Hazards Arising From the Substance or Mixture



SAFETY DATA SHEET

BIOMIST[®] 3 + 15 ULV

Effective Date: 15 July 2015

v.02

Page 3 of 8

Specific Hazards: Under fire conditions some components may decompose. Combustion products may include CO and NOx.

5.3 Special Protective Equipment and Precautions for Fire-Fighters

Protection Against Fire: Wear positive pressure, self-contained breathing apparatus and protective firefighting clothing (includes fire-fighting helmet, coat, pants, boots, and gloves).

Special Procedures: Treat as oil fire. Move container from fire area if it can be done without risk. Do not scatter spilled material with high-pressure water streams. Dike for later disposal. Use extinguishing agents appropriate for surrounding fire. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

SECTION 6. Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

General Precautions: Use appropriate protection (see section 8)

Environmental Precautions: Prevent product from entering into drains and waterways. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Collect and dispose of this material and its container in accordance with national and regional regulations. If the product has contaminated surface water, inform the appropriate authorities. See Section 12 for additional ecological information.

6.2 Methods and Material for Containment and Cleaning Up

Clean Up Methods: Soak up with absorbent, non-combustible material, such as sand, silica gel, clay, or sawdust, while using appropriate personal protection equipment. Collect material in appropriate container for disposal.

SECTION 7. Handling and Storage

7.1 Precautions for Safe Handling

Handling: Keep out of reach of children. Do not take internally. Avoid contact with skin and eyes. Avoid inhalation of vapors from product.

Hygiene Measures: Remove Personal Protective Equipment (PPE) immediately after handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove soiled clothing immediately and clean thoroughly before using again.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Storage: Product should be stored in compliance with local regulations. Store in a cool, dry, well-ventilated place in the original container. Protect from excessive heat and cold. Do not store near food, drink, animal feeding stuffs, pharmaceuticals, cosmetics or fertilizers. Keep out of reach of children.

SECTION 8. Exposure Controls / Personal Protection

These precautions are suggested for conditions where the potential for exposure exists. Emergency conditions may require additional precautions.

8.1 Control Parameters

Component Name	CAS No.	List/Source	Type	Value
----------------	---------	-------------	------	-------



SAFETY DATA SHEET

BIOMIST[®] 3 + 15 ULV

Effective Date: 15 July 2015

v.02

Page 4 of 8

Permethrin	52645-53-1	ACGIH	TWA	5 mg/m ³
		NIOSH	REL	5 mg/m ³
		OSHA	PEL	5 mg/m ³
Petroleum Distillate Mixture*:	See section 3	ACGIH	TLV	5 mg/m ³ inhalable fraction
		NIOSH	REL	5 mg/m ³ form: mist
		OSHA	PEL	5 mg/m ³

*Exposure limits based on limits established for White Mineral Oil (CAS# 8042-47-5) component of mixture.

8.2 Exposure controls

Engineering Controls: Use with adequate ventilation. Local exhaust ventilation may be necessary for some operations. Wash hands thoroughly after handling. Wash clothing before re-using.

Individual Protection Measures, such as Personal Protection Equipment:

Eye Protection: Safety Glasses, Goggles or Face Shield

Skin Protection: Wear suitable protective clothing including long-sleeve shirt, long pants, shoes and socks. Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron.

Hand Protection: Protective glove selection must be based on the user's assessment of the workplace hazards. Suitable protective chemical resistant materials include barrier laminate, nitrile, neoprene or Viton.

Respiratory Protection: Not usually required. In instances where exposure limits are exceeded, wear a NIOSH-approved pesticide respirator with an organic-vapor removing cartridge with a prefilter approved for pesticides.

SECTION 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance:	Liquid
Color:	Pale Yellow
Odor:	Odorless
Odor Threshold:	Not Available
pH:	Not Available, not miscible in water
Melting Point:	Not Applicable
Freezing Point:	Not Determined
Initial Boiling Point:	Not Determined
Flash Point:	>300° F
Evaporation Rate:	Not Determined
Flammability:	Not Determined
Explosion limits [U/L]:	Not Applicable
Vapor Pressure:	Not Determined
Vapor Density:	Not Determined
Relative Density:	7.42 lbs/gal
Solubility:	Not Determined
Partition Coefficient:	Not Determined
Auto-Ignition Temperature:	Not Determined
Viscosity:	15.16 cSt @ 40 °C (22.6 cSt @ 20 °C)
Decomposition Temperature:	Not Available



SAFETY DATA SHEET

BIOMIST[®] 3 + 15 ULV

Effective Date: 15 July 2015

v.02

Page 5 of 8

Explosive Properties: Not Available

Oxidizing Properties: Not Available

SECTION 10. Stability and Reactivity

10.1 Reactivity

Not Available

10.2 Chemical Stability

Stable under normal conditions

10.3 Possibility of Hazardous Reactions

Hazardous Reactions: None under normal conditions

Hazardous Polymerization: Not known to occur

10.4 Conditions to avoid

Protect from direct sunlight and excessive heat.

10.5 Incompatible materials

Avoid contact with strong oxidizing agents, strong acids, strong bases

10.6 Hazardous decomposition products

None known under normal conditions of storage and use

SECTION 11. Toxicological information

11.1 Information on Likely Routes of Exposure

Inhalation: May be harmful if inhaled

Ingestion: May be fatal if swallowed and enters airways due to petroleum distillate. Vomiting may cause aspiration pneumonia.

11.2 Information on Toxicological Effects

Acute Toxicity/Effects

Oral, Rat LD₅₀ > 5,000 mg/kg-bw

Dermal, Rat LD₅₀ > 2,000 mg/kg-bw

Inhalation, Rat LC₅₀ > 3.9 mg/L

Skin Corrosion/Irritation: Not corrosive or irritating to the skin on acute exposure. Mild skin irritation or cracking may occur from prolonged or repeated exposure to this product.

Serious Eye Damage/Irritation: Mild (transient) eye irritation may occur from direct exposure of the product in the eyes.

Skin Sensitization: Not a skin sensitizer

STOT – Single exposure No data is available to indicate product or any components present at greater than 0.1% present a specific target organ toxicity hazard from single exposure.

Chronic Toxicity/Effects



SAFETY DATA SHEET

BIOMIST[®] 3 + 15 ULV

Effective Date: 15 July 2015

v.02

Page 6 of 8

Germ Cell Mutagenicity	This product has not been tested. No data is available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. For permethrin and for piperonyl butoxide, no mutagenic effect was found in various tests with microorganisms and mammalian cell culture.
Carcinogenicity	<p>This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP. Permethrin and Piperonyl Butoxide are classified by IARC as Group 3: Not classifiable as to carcinogenicity to humans.</p> <p>Permethrin caused at high dose levels an increased incidence of tumors in mice in the following organ(s): liver, Lungs. The mechanism that triggers tumors in rodents is not relevant for the low exposures encountered under normal use conditions. Piperonyl butoxide was not carcinogenic in lifetime feeding studies in rats and mice.</p>
Reproductive Effects:	No data is available to indicate product or any components present at greater than 0.1% cause reproductive or teratogenic toxicity. Permethrin did not cause reproductive toxicity in a two-generation study in rats. Piperonyl butoxide did not cause reproductive toxicity in a two-generation study in rats.
STOT – Repeated exposure	No data is available to indicate product or any components present at greater than 0.1% present a specific target organ toxicity hazard from repeat exposure. Permethrin did not cause specific target organ toxicity in experimental animal studies. Piperonyl butoxide did not cause specific target organ toxicity in experimental animal studies.

SECTION 12. Ecological Information

12.1 Ecotoxicity

Product specific data is not available. Data referenced is in relation to the active ingredients, Permethrin and Piperonyl Butoxide.

Toxicity to Fish: Permethrin: 96-hr Acute LC₅₀ 0.79 ppb, Bluegill Sunfish (*Lepomis macrochirus*)
Piperonyl Butoxide: 96-hr Acute LC₅₀ 6.12 ppm, Rainbow Trout (*Oncorhynchus mykiss*)

Toxicity to Aquatic Invertebrates: Permethrin: 96-hr LC₅₀ 0.019 ppb, Mysid Shrimp (*Americamysis bahia*)
Piperonyl Butoxide: 96-hr LC₅₀ 0.49 ppm, Mysid Shrimp (*Americamysis bahia*)

Toxicity to Aquatic Plants: Permethrin: 72-hr EC₅₀ 0.5 mg/L, Algae
Piperonyl Butoxide: 72-hr EC₅₀ > 9.1 mg/L, Algae

12.1 Persistence and Degradability

Product specific data not available. Data referenced is in relation to the active ingredients, Permethrin and Piperonyl Butoxide.

Biodegradability: Not rapidly biodegradable.

Partition Coefficient, K_{oc}: Permethrin: 100,000
Piperonyl Butoxide: 399 - 830

Bioaccumulation: Bioconcentration (BCF) Permethrin: 300
Bioconcentration (BCF) Piperonyl Butoxide: 2,175

Mobility in Soil: Permethrin: Immobile in soil



SAFETY DATA SHEET

BIOMIST[®] 3 + 15 ULV

Effective Date: 15 July 2015

v.02

Page 7 of 8

Piperonyl Butoxide: Moderately mobile in soil

SECTION 13. Disposal Considerations

13.1 Waste Treatment and Disposal methods

Pesticide wastes are regulated. Consult product label for chemical substance and container disposal instructions. Avoid release to the environment. Improper disposal of excess product or rinsate is a violation of Federal law. If these wastes cannot be disposed or by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA regional office for guidance.

Container disposal: Rinse thoroughly in accordance with label instructions.

SECTION 14. Transport Information

14.1 DOT (US)

Not regulated (Bulk and Non-Bulk Quantities)

14.2 IMDG (Vessel)

UN Number: 3082
Hazard Class: 9
Packing Group: III
Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (PERMETHRIN)
Marine Pollutant: Yes

14.3 ICAO/IATA (Air transport)

UN Number: 3082
Hazard Class: 9
Packing Group: III
Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (PERMETHRIN)
Environmental Hazard: Yes

SECTION 15. Regulatory Information

FIFRA Information: This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information for safety data sheet, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Signal Word: CAUTION
KEEP OUT OF REACH OF CHILDREN

FIRST AID	
Have product container or label with you when calling a poison control center or doctor, or going for treatment. For Medical Emergencies, call the International Poison Control Center at 1-800-214-7753.	
IF SWALLOWED:	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for further treatment advice.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control center or doctor for



SAFETY DATA SHEET

BIOMIST[®] 3 + 15 ULV

Effective Date: 15 July 2015

v.02

Page 8 of 8

treatment advice.

NOTE TO PHYSICIAN: Product contains a petroleum distillate. Vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing.

Personal Protective Equipment (PPE): Some materials that are chemical-resistant to this product are: barrier laminate, nitrile rubber, neoprene rubber, or Viton. Mixers, loaders, applicators, and other handlers must wear long-sleeve shirt and long pants, shoes plus socks. In addition, all handlers except for applicators using motorized ground equipment, pilots and flaggers, must wear chemical-resistant gloves. In addition, mixers/loaders, persons cleaning equipment, and other persons exposed to the concentrate must wear a chemical-resistant apron. See engineering controls for additional requirements.

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

Engineering Controls: Pilots must use an enclosed cockpit that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(6)]. Human flagging is prohibited. Flagging to support aerial application is limited to use of the Global Positioning System (GPS) or mechanical flaggers.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Other Federal Regulations

SARA TITLE III CLASSIFICATION

Section 302:	None		
Section 311/312:	Immediate (acute) hazard		
Section 313:	This product contains the following toxic chemicals subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372		
	Permethrin	CAS# 52645-53-1	3.0%
	Piperonyl Butoxide	CAS# 51-03-6	15.0%

CERCLA RQ: None

OSHA HAZARD COMMUNICATION STANDARD: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. California Proposition 65: Not listed

STATE RIGHT-TO-KNOW : National, state, provincial or local emergency planning, community right-to-know or other laws, regulations or ordinances may be applicable--consult applicable national, state, provincial or local laws.

SECTION 16. Other Information

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources we believe to be reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared as is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

© BIOMIST is a Registered Trademark of Clarke Mosquito Control Products, Inc.

End of document